



GERM-FOGGER

MODEL GF-SLING





RUN TIME

10 Hours Continuous - 52,000 sq.ft. Per Hour



LITHIUM ION BATTERY

More than 2,000 Charge Cycles



LIFETIME WARRANTY

Easy Registration



TECHNICAL SPECIFICATIONS

Power Type	12v/20ah lithium ion rechargeable battery - 2,000 charge cycles
Warranty	Lifetime
Disinfectant Solution	Any commercial grade product with approximate viscosity of water. (1 cP at 20 degrees C.)
Discharge Gun type	Lightweight aluminum and brass
Hose Length	5 feet
Output Distance	2-5 feet (60-150 Centimeters)
Output Volume	5.7 Oz/minute (166 ml/minute)
Chemical Capacity	3L Bladder Bag
Flow Rate	5.7 Oz/minute (166 ml/minute)
Chemical Coverage	52,000 sq. ft. per hour
Run Time	10 hours continuous. 20 hour intermittent.
Nozzle Type	Brass - Fogging
Nozzle Tip Replacement	Quick disconnect and instantaneous. (No tools required)
Nozzle Tip Cleanable and Reusable	Yes
Number of Nozzles	3 supplied standard per gun, additional nozzles available
Number of Applicator Guns	1 standard
Droplet size	Median diameter 35-40 microns
Machine Weight	Less than 25 lbs
Country of Origin	USA

GERM FOGGER, LLC
2401 NW 22ND AVE.
PORTLAND, OREGON 97210 USA
PHONE: 1-503-236-4500

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
ALL INFORMATION HEREIN CONFIDENTIAL AND PROPRIETARY TO GERM FOGGER, LLC
COPYRIGHT © 2020, GERM FOGGER, LLC. ALL RIGHTS RESERVED.